



CMF-W3201B

CMF-W3201B

- 1/3inch SONY CCD
- Board Lens 6mm/F2.0
- 24 pieces IR-LED
- Illuminate distance >20m
- IP66 Weatherproof

Optional Model

- CMFW3201B, 1/3"SONY CCD,420 TVL
- CMFW3001B, 1/3"SHARP CCD,420 TVL
- CMFW4201B, 1/4"SONY CCD,420 TVL

Specification

Model No.	CMF-W3201B	CMF-W3001B	CMF-W4201B	CMF-W4001B
Camera Type	Color Weatherproof IR Camera			
Image Sensor	1/3 Inch SONY SuperHAD CCD	1/3 Inch SHARP CCD	1/4 Inch SONY SuperHAD CCD	1/4 Inch SHARP CCD
Effective Pixels	PAL:500(H) x 582(V) 290K NTSC:510(H) x 492(V) 250K			
Sensing Area	4.9mm x 3.7mm		3.6mm x 2.7mm	
Signal System	PAL /NTSC			
Horizontal Resolution	420 TV Lines			
Min. Illumination	Color(0.5 Lux), B/W(0 Lux,IR On)		Color(0.8 Lux), B/W(0 Lux,IR On)	
Lens Mount	Board Lens 6mm/F2.0 (Option:3.6/6/8/12mm)			
S/N Ratio	More Than 48dB (AGC Off)			
Electronic Shutter	1/50(1/60) ~ 1/10,000 Sec.			
White Balance	Auto			
AGC	Auto			
Infrared Luminary	24pieces IR-LED			
Infrared Wavelength	850 nm			
Illuminate Distance	More than 20 M			
Waterproof Criterion	IP66			
I/O Connector	Power : DC Power Jack , Video Output : BNC			
Video Output Level	1.0 Vp-p (75 Ohms, composite)			
Supplied Voltage	DC12V Voltage			
Power Consumption	IR On: 240mA max., IR Off: Less than 130mA			
Dimensions	118 x 68.5 x 66.5mm			
Weight	Approx. 0.44kg			